





Are rechargeable aluminium batteries the future of electrochemical energy storage? Rechargeable aluminium batteries are promising candidates for future electrochemical energy storage systems due to the high theoretical volumetric capacity of aluminium and its natural abundance in the Earth's crust, but their practical application is currently hindered by the limitations of presently available electrolytes.





Can aluminum be used as energy storage? Extremely important is also the exploitation of aluminum as energy storage and carrier medium directly in primary batteries, which would result in even higher energy efficiencies. In addition, the stored metal could be integrated in district heating and cooling, using, e.g., water???ammonia heat pumps.





Can aluminium batteries be used for energy storage? Developing new ionic liquids, water-in-salt electrolytes, and deep eutectic solvents to mitigate these issues will certainly aid in advancing aluminium battery technologies for future energy storage devices.





Can aluminum be used as energy storage and carrier medium? To this regard, this study focuses on the use of aluminum as energy storage and carrier medium, offering high volumetric energy density (23.5???kWh???L???1), ease to transport and stock (e.g., as ingots), and is neither toxic nor dangerous when stored. In addition, mature production and recycling technologies exist for aluminum.





Is aluminum a good choice for rechargeable batteries? Aluminum,being the Earth's most abundant metal,has come to the forefront as a promising choicefor rechargeable batteries due to its impressive volumetric capacity. It surpasses lithium by a factor of four and sodium by a factor of seven,potentially resulting in significantly enhanced energy density.







Can Al-air batteries be used for electrochemical energy storage? Although Al???air batteries have a long history going back to the 1960s, the focus of this manuscript is on Al-ion batteries including Al???sulfur batteries, but other possibilities for electrochemical energy storage by Al charge carriers such as Al redox batteries, Al supercapacitors, etc. will be reviewed too.





Self-discharge (SD) is a spontaneous loss of energy from a charged storage device without connecting to the external circuit. This inbuilt energy loss, due to the flow of charge ???



Zn metal is the most widely used electrode in Zn-based electrochemical energy storage devices. Zn plating/stripping behaviors during charging/discharging are like Li metal electrodes. Since Li metal electrodes have been studied ???





Electrochemical energy storage devices, such as electrochemical capacitors and batteries, are crucial components in everything from communications to transportation. Aqueous-based electrolytes have been ???





Recent findings demonstrate that cellulose, a highly abundant, versatile, sustainable, and inexpensive material, can be used in the preparation of very stable and flexible electrochemical energy storage devices with high ???







Aluminum-air batteries (AABs) have garnered significant interest as potential next-generation energy storage solutions owing to their cost-effectiveness and high energy capacity. [1, 2] Typically, primary AABs are ???





In this Virtual Issue, we focus on the chemistry of macromolecules needed to advance electrochemical energy storage devices???including pseudocapacitors as well as lithium-ion, lithium-metal, magnesium-metal, and ???





Driven by the global demand for renewable energy, electric vehicles, and efficient energy storage, battery research has experienced rapid growth, attracting substantial interest ???



This review will cover three types of electrochemical energy storage devices utilising aluminium ions in aqueous electrolytes: rechargeable batteries, non-rechargeable batteries, and capacitors. The capacitor section ???





The development of efficient, low-cost, and environmentally friendly electrochemical energy storage (EES) systems is the basis of the future renewable energy economy. Since its ???





However, the exploitation of flexible energy storage devices for wearable electronics has always been a tremendous obstacle to be overcome (Koo et al., 2012). As is well known, the typical electrochemical energy ???