





Can aramid nanofibers be used as thermal insulation aerogels? In this study, a novel thermal insulation aerogel(APP) consisting of aramid nanofibers (ANF), polyethylene glycol (PEG) and polyimide (PI) was prepared by vacuum impregnation and chemical imidization.





What is aramid nanofiber aerogel? Aramid nanofiber (ANF) aerogel inherits the excellent mechanical properties and thermal stability of aramid fiber, can be suitable for harsh environments such as deformation and high temperatures, and has a very low density [,,].





Do aramid aerogels reduce thermal resistance? However, wet-spinning methods, exemplified by aramid aerogels, inevitably form a dense outer layer, significantly reducing the volume fraction of efficient thermal barrier nanovoids and limiting the development of ultimate thermal resistance in fibers.





Is aramid nanofiber an ideal nanobuilding block for Advanced aerogels? As an ideal nanobuilding block for advanced aerogels, the research community has shown a strong interest in aramid nanofiber (ANF) aerogel materials and their applications in frontier fields.





Can microfluidic spinning be used for gradient aramid aerogels? The authors demonstrate a microfluidic spinning process for gradient aramid aerogels, with sheath and core layers of varied pore size, creating high thermal resistance at heat transfer interfaces, with radial thermal conductivity of 0.0228???W???m???1 K???1







Why is aramid fiber a high-performance polymer? Aramid fiber, as a high-performance polymer material, possesses excellent mechanical properties, thermal stability, and chemical corrosion resistance. These characteristics are closely related to its highly ordered arrangement and crystalline aggregated structure, along with strong intermolecular hydrogen bonding.





In addition, phase change material was injected into the hollow structure to obtain aerogel-phase change material composite fibers, which exhibited great energy storage prospects. As a result, ???





Besides, the progress of multifunctional applications in the fields of flexible thermal insulation, environmental protection, energy storage, and other fields is summarized. Finally, ???





The resulting CNFAs, with an ultralow density (<3.8 mg/cm 3), exhibit a hierarchical, interconnected nanofibrous cellular architecture that imparts exceptional structural resilience ???





Herein, a synergistic strategy using ultrahigh-speed homogenizing, freeze drying, and high-temperature imidization methods was proposed to fabricate an ultralight aramid nanofiber/polyimide (ANF/PI) composite aerogel from aramid ???





The total thermal conductivity of CNF/ANF carbon aerogels is 0.025 W m ???1 K ???1, which is close to the thermal conductivity of air at room temperature. The design mechanism (Fig. 8 (g)) of ???



Different form the conventional piezoresistive sensors, aerogel endowed electricity property is considered as a promising material for pressure sensor combining high conductivity ???



Structurally resilient carbon nanofiber aerogels from aramid nanofibers for thermal insulation under extreme conditions. Author links open structure and applications in energy ???



The Gund Company manufactures a wide range of electrical and thermal insulation materials used in energy storage applications. Energy Storage Systems The Gund Company provides material solutions to satisfy a range of systems ???





Lightweight aramid-based structural material against impact and thermal hazards composed of rigid plates and viscous polymers notably improved the toughness and bending ???





Natural fiber (e.g., cotton and silk) or synthetic fiber (e.g., rayon and nylon) have served for hundreds of years as essential thermal insulation materials [1]. However, with the ???





Energy storage has been a hot topic all over the world, but the insufficient performance of energy storage materials has limited the development of energy storage equipment. Over recent ???



Furthermore, the PI aerogel/aramid fiber composite offered enhanced thermal comfort to the wearer in hot and humid environments, indicating that the composite material is particularly suited for





High-performance thermal insulators are urgently desired for energy-saving and thermal protection applications. However, the creation of such materials with synchronously ultralow thermal conductivity, lightweight, and ???