

# ENERGY STORAGE TRAM DEMONSTRATION LINE



Can EVs be used as energy storage for the tram network? Therefore, this research assumes that the tram service provider would provide the EV owners, who allow their EVs to be used as energy storage for the tram network, with incentives (e.g. discounted travel perhaps) to compensate for the extra degradation of the EV battery.



Can energy storage improve regenerative braking in a light rail system? An energy storage system (ESS) is considered as an effective measure to improve regenerative braking and hence improve the energy balance of a light rail system, as it can store the un-utilized regenerated electricity and feed the stored electricity back to the supply network when needed (Morita et al., 2008, Teymourfar et al., 2012).



Should rail vehicles have onboard energy storage systems? However, the last decade saw an increasing interest in rail vehicles with onboard energy storage systems (OESSs) for improved energy efficiency and potential catenary-free operation. These vehicles can minimize costs by reducing maintenance and installation requirements of the electrified infrastructure.



On October 10, 2020, a tram with a full load of passengers slowly drove out of the station and headed towards the terminal of the demonstration line. From this moment on, the Sanya Tram Demonstration Line, which was built for 4 years, officially carried passengers. This marked the initial operation of China's first tram PPP project under the



With the application of the world's first commercially operated hydrogen energy tram demonstration line with a maximum speed of 70 km/h developed by CRRC Qingdao Sifang Locomotive and Rolling Stock Co., Ltd. in Gaoming, Foshan, China, fuel cell trams have been commercialized, and their operating life and safety have been recognized by the market.

# ENERGY STORAGE TRAM DEMONSTRATION LINE



Based on the existing operating mode of a tram on a certain line, this study examines the combination of ground-charging devices and energy storage technology to form a vehicle (with a Li battery and a super capacitor) and a ground (ground charging pile) power system. Yuxuan XIE, Yunju BAI, Yijun XIAO. Overall capacity allocation of energy



The supercapacitor energy storage type tram project under construction in China: T1 line of tram in Dahanyang District of Wuhan, with a total length of 19km, has purchased 21 super capacitor vehicles; Ningbo Yinzhou District Tram Demonstration Line, with a total length of 8km, has purchased 10 super capacitor vehicles; Dongguan Songshan Lake



This article focuses on the optimization of energy management strategy (EMS) for the tram equipped with on-board battery-supercapacitor hybrid energy storage system. The purposes of the optimization are to prolong the battery life, improve the system efficiency, and realize real-time control. Therefore, based on the analysis of a large number of historical operation data, this ???



Since the over-voltage failure frequently occurred in constant voltage charging process of the charging device, which is installed in trams on Sanya Demonstration Line in Hainan Province, ???



The hydrogen energy tram is a new energy rail vehicle using hydrogen as an energy source. Foshan Gaoming Modern Tram Demonstration Line is the first tramway project powered by hydrogen energy in China, and it is also the world's first commercially operated hydrogen tramway line. According to technical director of CRRC Sifang, unlike

# ENERGY STORAGE TRAM DEMONSTRATION LINE




Based on the existing operating mode of a tram on a certain line, this study examines the combination of ground-charging devices and energy storage technology to form a vehicle (with ???)



Wayside energy recovery systems (WERS), i.e. stationary energy storage systems that are connected to the tram grid, absorb this excess energy and thus improve the energy efficiency or increase voltage stability. Simulations of DC tram grids with WERS are an important tool to find the optimal system design and evaluate the operation.



Rosseta was a German company from Dessau-Rosslau (Saxony-Anhalt). It became insolvent in 2013(\*). They built high speed rotating flywheels (15,000???25,000 rpm), specially designed as braking energy storage in tram grids or in UPS applications. Depending on the power electronics, the system was able to store and provide up to 800 kW of power.



Five hydrogen trams operate on the tram line. The trams were jointly developed by CRRC Corporation Limited (CRRC), the world's largest railway equipment supplier, and Ballard Power Systems. The trams took two years of research and development to complete and are each powered by two of Ballard FCveloCity(R)-XD fuel cell modules. With six



The recovery of regenerative braking energy has attracted much attention of researchers. At present, the use methods for re-braking energy mainly include energy consumption type, energy feedback type, energy storage type [3], [4], [5], energy storage + energy feedback type [6]. The energy consumption type has low cost, but it will cause ???

# ENERGY STORAGE TRAM DEMONSTRATION LINE




This article focuses on the optimization of energy management strategy (EMS) for the tram equipped with on-board battery-supercapacitor hybrid energy storage system. The purposes of ???



It can be applied to tram, marine energy storage power supply, power compensation device and other high power and energy requirements. On August 18, 2020, the construction of the Dishuihu station of the T1 digital track rubber-tyred tram demonstration line in the Lingang New Area of the Shanghai Pilot Free Trade Zone officially started.



The energy storage system on the trams has been convinced to meet the requirements of catenary free tram network for both at home and abroad. This technology improves the technical level of domestic tram development greatly and promotes the development of China's rail tram industry.



as the power supply for energy storage trams, the ground energy storage system for regen-erative braking energy, and the auxiliary starting device for internal combustion engines. A series of high-power charging system schemes for supercapacitors have been pro-posed in recent years [12???18]. The priority is to focus on the optimal design of



To increase the usability of new renewable energies, a large-scale energy storage device that can remove the variables is needed. Hydrogen is a large-scale energy storage medium with a considerably high energy capacity, as well as an energy carrier that makes it easy to convert it to heat energy or electric energy.

# ENERGY STORAGE TRAM DEMONSTRATION LINE



Simms, M.: Hybrid energy storage system: high-tech traction battery meets tram's hybrid energy storage system requirements. Ind. Technol. 2010(APR/MAY), 20 (2010) Google Scholar Meinert, M.: Experiences of the hybrid energy storage system Sitras HES based on a NiMH-battery and double layer capacitors in tram operation.



Our current research focuses on a new type of tram power supply system that combines ground charging devices and energy storage technology. Based on the existing operating mode of a tram on a certain line, this study examines the combination of ground-charging devices and energy storage technology to form a vehicle (with a Li battery and a super



3.7se of Energy Storage Systems for Peak Shaving U 32 3.8se of Energy Storage Systems for Load Leveling U 33 3.9ogrid on Jeju Island, Republic of Korea Micr 34 4.1rice Outlook for Various Energy Storage Systems and Technologies P 35 4.2 Magnified Photos of Fires in Cells, Cell Strings, Modules, and Energy Storage Systems 40



Battery energy storage technology is a way of energy storage and release through electrochemical reactions, and is widely used in personal electronic devices to large-scale power storage 69. Lead




Traditional trams mostly use overhead catenary and ground conductor rail power supply, but there are problems such as affecting the urban landscape and exclusive right-of-way [5]. At present, new energy trams mostly use an on-board energy storage power supply method, and by using a single energy storage component such as batteries, or supercapacitors.

# ENERGY STORAGE TRAM DEMONSTRATION LINE



On August 18, 2020, the construction of the Dishuihu station of the T1 digital track rubber-tyred tram demonstration line in the Lingang New Area of the Shanghai Pilot Free Trade Zone officially started. Aowei won the first "Shanghai Brand" certification. Traffic Field Energy Storage and Other Fields HR



Since the on-board energy storage tram [1, 2] does not need to lay traction power supply lines and networks, it can effectively reduce the difficulty and cost of construction, and the energy storage tram is widely used. In engineering projects, it is necessary to consider both the construction cost and the reliability of the power supply system



The energy storage system works as a short time storing and supporting electrical device. The result of this experiment is presented in Fig. 5. In the case of convenient conditions (descending part of the line, more trams on the line, etc.) this strategy can lower the current peaks on the trolley during acceleration and in the supply net, too.



At the core of the T1 Demonstration Line is a new lightweight, intelligent medium-capacity digital-rail transit system that uses magnetic markers as virtual tram tracks, leverages autonomous



In order to design a well-performing hybrid storage system for trams, optimization of energy management strategy (EMS) and sizing is crucial. This paper proposes an improved EMS with energy



# ENERGY STORAGE TRAM DEMONSTRATION LINE



of energy storage within the coming decade. Through SI 2030, the U.S. Department of Energy (DOE) is aiming to understand, analyze, and enable the innovations required to unlock the demonstration [3]. Supercapacitors also have been deployed in combination with solar photovoltaic transportation sector for their low-floor trams for a



A hybrid energy storage system (HESS) of tram composed of different energy storage elements (ESEs) is gradually being adopted, leveraging the advantages of each ESE. The optimal sizing of HESS with a reasonable combination of different ESEs has become an important issue in improving energy management efficiency. Therefore, the optimal sizing ???



the Foshan Gaoming Modern Hydrogen Tram Demonstration Line, the world's storage tanks (5m<sup>3</sup>, 45MPa) and two 355 long tube trailers (26m<sup>3</sup>, 20MPa) and can A fuel cell-powered tram uses hydrogen as the energy source. In a hybrid configuration, fuel cells and ???