



What is thermal energy storage? Thermal energy storage approaches capture excess heatand store it for later use as direct heat or for renewable energy generation. One approach,known as latent heat storage (LHS),takes advantage of the heat stored and released through the melting and solidification of a phase change material (PCM).



What is a microchannel heat sink? Microchannel heat sinks play a vital role in modern technology due to the increasing demand for efficient thermal managementin compact electronic devices. These systems enhance heat dissipation and maintain optimal operating temperatures, yet conventional heat sinks often fail to meet the stringent cooling demands of modern technologies.



What is a Y-shaped heat sink? To address this, a novel microchannel heat sink reinforced with Y-shaped fins was introduced as an advanced cooling solution. Unlike traditional straight fins, Y-shaped fins improve flow distribution, reduce hot spots, and enhance temperature uniformity across the system's surface.



What are sensible and latent thermal energy storage? Sensible, latent, and thermochemical energy storages for different temperatures ranges are investigated with a current special focus on sensible and latent thermal energy storages. Thermochemical heat storage is a technology under development with potentially high-energy densities.



What is an MHS heat sink? An MHS is a specialized device designed to efficiently transfer heat away from electronic devices and dissipate it into the surrounding environment . However, traditional heat sinks seem not to meet the increasingly demanding cooling requirements of today's advanced technology . Hence, more efficient heat sinks have become paramount.





What is a finless heat sink? In the finless design, the temperature field is characterized by limited thermal gradients, with the central region of the heat sink exhibiting higher temperatures. The absence of fins results in poor convective heat transfer, leading to slower temperature equalization.



Dynamic PCMs are designed to improve the power of thermal storage without significant sacrifice of energy density, in which the front solid???liquid interface of the PCM keeps in close contact with the heat source ???



Thermochemical heat storage is a technology under development with potentially high-energy densities. The binding energy of a working pair, for example, a hydrating salt and water, is used for thermal energy storage in ???



Thermal energy storage approaches capture excess heat and store it for later use as direct heat or for renewable energy generation. One approach, known as latent heat storage (LHS), takes advantage of the heat stored and ???



Thermal energy storage plays a critical role in improving energy efficiency and sustainability, particularly in solar energy systems, industrial waste heat recovery, and building ???





The high charging rating reduces the duration, which significantly minimizes the heat losses, resulting in higher operation efficiency. The role of material within the tank and operational aspect is assessed in detail, providing ???



Improved energy efficiency not only lead to cost savings, it helps control global emissions of greenhouse gases. Over the years, the department has extended the fundamentals related to thermal and energy sciences to build up strengths ???



Heat Sink Technology and Materials. Heat sinks are commonly crafted from materials like aluminum and copper due to their excellent thermal conductivity. Copper boasts superior thermal properties with a thermal ???



1 Introduction. Grid-scale storage of electric energy is considered as a key element in a future energy system with large shares of variable renewable energy. 1-4 By balancing supply and demand, storage can support the ???



Compare to another two heat storage methods, thermochemical heat storage has a high heat storage density and can stored in long time at ambient temperature. The heat is ???





The study results show that using bifurcated fins can significantly improve the thermal performance of the latent heat storage heat exchanger compared to straight fins. The bifurcated fins promote better mixing of PCM, ???







The specific heat of concrete plays a crucial role in thermal energy storage systems, facilitating the efficient storage and release of thermal energy to optimise energy management ???



Caption: A thermophotovoltaic (TPV) cell (size 1 cm x 1 cm) mounted on a heat sink designed to measure the TPV cell efficiency. To measure the efficiency, the cell is exposed to an emitter and simultaneous ???



By using a heat pump, one unit of electricity is transformed into two to three units of heat, which can be stored in the particle thermal energy storage system and then later delivered to the end user (depending on the ???





Phase change materials (PCMs) have promising applications in various fields, such as thermal energy storage and conversion [1], [2], architecture [3], [4], refrigeration [5], [6], ???