

PALAU DOWELL IPACK 3 3



Model Name iPack C3.3 Nominal Energy 3.3kWh Usable Energy 3kWh
Depth of Discharge 93% Nominal Voltage 51.2V Operating Voltage Range
44.8V to 57.6V Standard Discharging Current 60A Max. Discharging Power
2.1kW Rated Discharging ???



DOWELL home battery storage iPack C6.5 . Short Description: Safety:
Reliable LFP battery, advanced two-sided terminal technology,
non-flammable. Scalable: 16 batteries in maximum parallel, from 6.5kWh
to 104kWh. Advanced BMS: Monitoring battery status and reporting
alarms in ???



Dealbhadh modular: Cuir taic ri st?ladh aon neach Coileanadh S?bhailte:
ceimigeachd LFP Leudachadh: faodaidh 6 bataraidhean a bhith ceangailte
gu co-sh?nte Dealbhadh Luxury: Compact agus aotrom le c?mhdach
Alumimum stainless



iPack C3.3 Battery. ww w. d o w e l l e l e c t r o n i c . c o m Model Name
iPack C3.3 Email: sales@dowellelectronic Shanghai Dowell Technology
Co., Ltd. Nominal Energy(kWh) Usable Energy(kWh) Nominal
Voltage(Vdc) 3.3 3 51.2 48 to 57.6 1.65 3 4.14/60sec 95% >8000/25?C
15+Years/25?C W444*D131*H394 30 Natural 5%~95%




Model Name iPack C3.3 Nominal Energy 3.3kWh Usable Energy 3kWh
Depth of Discharge 93% Nominal Voltage 51.2V Operating Voltage Range
44.8V to 57.6V Standard Discharging Current 60A Max. Discharging Power
2.1kW Rated Discharging ???



S?wirana Modular: Pi??tgiriya sazkirina yek kes? Performansa ewledar:
K?myaya LFP Berfirehb?n: 6 batar? dikarin bi paralel ve gir?day? bibin
S?wirana luks: Tevlihev ? sivik bi qapa Al?m? ya zengarnegir

PALAU DOWELL IPACK 3 3



Modul?ris kialak?t?s: Egy szem?ly telep?t?s?nek t?mogat?sa
Biztons?gos teljes?tm?ny: LFP k?mia B??v?thet?s?g: 6 akkumul?tor
p?rhuzamosan csatlakoztathat? Luxus kialak?t?s: Kompakt ?s k?nny??
rozsdamentes alum?nium burkolattal



New Style Battery Storage Systems For Homes - DOWELL home battery storage iPack C6.5 ??? Dowell Detail: Model Name: iPack C6.5: Nominal Energy(kWh) 6.5: Usable Energy(kWh) 6: Nominal Voltage(Vdc) 51.2 Operating Voltage Range(Vdc) 44.8 to 57.6 Charge/Discharge Power (kW) ? Recommend: 3.3



?? 1/4 ?????>??????
?? 3/4
??????????????>??



Model Name iPack C3.3 Nominal Energy 3.3kWh Usable Energy 3kWh Depth of Discharge 93% Nominal Voltage 51.2V Operating Voltage Range 44.8V to 57.6V Standard Disharing Current 60A Max. Discharging Power 2.1kW Rated Discharging ???



Model Name iPack C3.3 Nominal Energy 3.3kWh Usable Energy 3kWh Depth of Discharge 93% Nominal Voltage 51.2V Operating Voltage Range 44.8V to 57.6V Standard Disharing Current 60A Max. Discharging Power 2.1kW Rated Discharging ???



We insist over the principle of development of "High top quality, Performance, Sincerity and Down-to-earth working approach" to supply you with exceptional services of processing for Good Quality Solar Home Backup - DOWELL home battery storage iPack C3.3 ??? Dowell, The

PALAU DOWELL IPACK 3 3

product will supply to all over the world, such as: Berlin, Croatia, Malta,
We have sufficient experience in ???

PALAU DOWELL IPACK 3 3



Nama Model iPack C3.3 Energi Nominal (kWh) 3.3 Energi yang Dapat Digunakan (kWh) 3 Tegangan Nominal (Vdc) 51.2 Tegangan Pengoperasian. Tentang DOWELL; Solusi. Penyimpanan baterai rumah DOWELL iPack C3.3. Deskripsi Singkat: Desain Modular: Mendukung instalasi satu orang Kinerja Aman: Kimia LFP



DOWELL batteriopbevaring til hjemmet iPack C3.3. Kort beskrivelse: Modulaert design: St?t installation af ?n person Sikker ydeevne: LFP-kemi Udvidelsesmuligheder: 6 batterier kan parallelkobles Luksusdesign: Kompakt og let med rustfrit aluminiumsbetraek. Send e-mail til os Download som PDF. Produktdetaljer



Model Name iPack C3.3 Nominal Energy 3.3kWh Usable Energy 3kWh Depth of Discharge 93% Nominal Voltage 51.2V Operating Voltage Range 44.8V to 57.6V Standard Disharing Current 60A Max. Discharging Power 2.1kW Rated Discharging ???



We attempt for excellence, provider the customers", hopes to be the most beneficial cooperation team and dominator enterprise for staff, suppliers and shoppers, realizes value share and continuous advertising for Competitive Price for Energy Storage Industry - DOWELL home battery storage iPack C3.3 ??? Dowell, The product will supply to all over the world, such as: Portland, ???



Model Name iPack C3.3 Nominal Energy 3.3kWh Usable Energy 3kWh Depth of Discharge 93% Nominal Voltage 51.2V Operating Voltage Range 44.8V to 57.6V Standard Disharing Current 60A Max. Discharging Power 2.1kW Rated Discharging ???

PALAU DOWELL IPACK 3 3




Model Name iPack C3.3 Nominal Energy 3.3kWh Usable Energy 3kWh
Depth of Discharge 93% Nominal Voltage 51.2V Operating Voltage Range
44.8V to 57.6V Standard Discharging Current 60A Max. Discharging Power
2.1kW Rated Discharging ???




Chinese Professional What Bills Can I Save Money On - DOWELL home
battery storage iPack C3.3 ??? Dowell Detail: Model Name: iPack C3.3:
Nominal Energy(kWh) 3.3: Usable Energy(kWh) 3: Nominal Voltage(Vdc)
51.2: Operating Voltage Range(Vdc) 48-57.6: Charge/Discharge Power
(kW) ? Recommend: 1.65



Model Name iPack C3.3 Nominal Energy 3.3kWh Usable Energy 3kWh
Depth of Discharge 93% Nominal Voltage 51.2V Operating Voltage Range
44.8V to 57.6V Standard Discharging Current 60A Max. Discharging Power
2.1kW Rated Discharging ???



This document describes the application scenarios, installation, electrical
connection, commissioning and troubleshooting of IPack C3.3, a 3.3 kWh
standalone Energy Storage Battery (hereinafter simply put as battery).




Model Name iPack C3.3 Nominal Energy 3.3kWh Usable Energy 3kWh
Depth of Discharge 93% Nominal Voltage 51.2V Operating Voltage Range
44.8V to 57.6V Standard Discharging Current 60A Max. Discharging Power
2.1kW Rated Discharging ???



Der iPACK 3.3 Akku wiegt lediglich 30 kg und ist leicht handhabbar. Er
bietet zudem eine hohe Erweiterbarkeit, wobei bis zu 6 Batterien parallel
geschaltet werden können, um eine Gesamtkapazität von bis zu 19,8 kWh
zu erreichen. ???

PALAU DOWELL IPACK 3 3



DOWELL home battery storage iPack C6.5. Short Description: Safety: Reliable LFP battery, advanced two-sided terminal technology, non-flammable. Scalable: 16 batteries in maximum parallel, from 6.5kWh to 104kWh. Advanced BMS: Monitoring battery status and reporting alarms in ???



Modelnaam iPack C3.3 Nominale energie (kWh) 3,3 Bruikbare energie (kWh) 3 Nominale spanning (Vdc) 51,2 Bedrijfsspanning. Over DOWELL; Oplossingen. Commerciële oplossing; DOWELL thuisbatterijopslag iPack C3.3. Korte beschrijving: Modulair ontwerp: ondersteuning voor installatie door één persoon Veilige prestaties: LFP-chemie



Nom du modèle iPack C3.3 Énergie nominale (kWh) 3.3 Énergie utilisable (kWh) 3 Tension nominale (Vcc) 51.2 Tension de fonctionnement. ? propos de DOWELL; Solutions. Stockage de batterie domestique DOWELL iPack C3.3. Brève description: Conception modulaire : prend en charge l'installation par une seule personne Performance s're