



Why are quantum dots important for energy conversion & storage? Semiconducting quantum dots (QDs) have received huge attention for energy conversion and storage due to their unique characteristics, such as quantum size effect, multiple exciton generation effect, large surface-to-volume ratio, high density of active sites, and so on.



Are graphene quantum dots a good energy storage device? Specifically,for efficient energy storage deviceslike supercapacitors,graphene quantum dots exhibited notable characteristics,including desirably high surface area,electron conductivity,charge storage or capacitance,and electrochemical features for electrode components [,,].



Are perovskite quantum dots suitable for optoelectronic devices? Perovskite quantum dots (QDs) show an excellent application perspective n semiconductor optoelectronic devices. However, problems of ligand loss during the growth, purification, film formation, and storage process always induce the aggregation and ripening of QDs, adversely affecting QDs??? and QD-based devices??? performance.



How to benchmark the quantum storage performance of the current device? To benchmark the quantum storage performances of the current device, we further encode time-bin qubits on the input pulses. Four states are prepared as input qubits: ???e ???,??! ???,??e ???+??! ???,and ???e ???+i ???! ???,where ???e ???and ???! ???represent the early bin and the late bin,respectively.



How long can photonic qubits be stored in a 151 EU 3+ y 2 Sio 5 Crystal? Here,we demonstrate quantum storage of photonic qubits for 1.021 millisecondsbased on a laser-written optical waveguide fabricated in a 151 Eu 3+:Y 2 SiO 5 crystal.





Can photonic quantum memories be used in scalable applications? Integrated operations of quantum memories could enable scalable application with low-power consumption. However, the photonic quantum storage lifetime in integrated devices has so far been limited to tens of microseconds, falling short of the requirements for practical applications.



Quantum confinement effect across diameter and electron transport along long axis in nanowires are very attractive for energy applications. To further promote the discharging ???



In the context of quantum thermodynamics, quantum batteries have emerged as promising devices for energy storage and manipulation. Over the past decade, substantial progress is made in understanding the ???



Quantum batteries are energy storage devices that utilize quantum mechanics to enhance their performance. They are characterized by a fascinating behavior: their charging rate is superextensive, meaning that quantum ???



The forbidden energy gap in such semiconductors is very minute and even the energy available at room temperature is sufficient for the valence electrons to jump across to ???





In this work, the charge storage ability of type-I InP/ZnS core/shell quantum dots is well revealed through studying a pentacene-based organic transistor with the quantum dots (QDs) integrated. The quantum well-like ???



This work highlights the untapped potential of quantum confinement and Coulomb blockade effects in dielectric materials, offering a novel pathway for designing next-generation energy storage systems [13, 14, 15].



Quantum dots are semiconductor nanoparticles containing a range of materials with a core-shell structure. They receive discernible attention in today's world due to their potential ???



SnO 2 nanocomposites and nanomaterials such as SnO 2 QDs have applications in various advanced catalytic technologies, sensors, energy production (such as solar cells and ???



A quantum dot is a semiconductor nanostructure that confines the motion of conduction band electrons, valence band holes, or excitons (pair of conduction band electrons ???





In quantum dots (QDs), energy storage is mostly governed by their surfaces, in particular by surface chemistry and faceting. The impact of surface free energy (SFE) through surface faceting has already been studied in QDs. ???



The quantum world is probabilistic rather than deterministic, and that applies to quantum batteries as well as quantum computers. If, for example, an energy-storage unit exhibits either a ground state or an excited state in the ???



Zeeman splitting, i.e. the splitting of the electronic energy levels, of the excitons causes the quantum dot to adopt the superimposed "0 and 1" states. Therefore, all the states are easily distinguishable from their voltage ???



Magnetic semiconductor preserves 2D quantum properties in 3D material. The atomic lattice structure of the layered magnetic semiconductor chromium sulfide bromide (CrSBr) have magnetic moments, or spins, that ???



Quantum light sources that generate single photons and entangled photons have important applications in the fields of secure quantum communication and linear optical quantum computing. Self-assembled ???





Perovskite quantum dots (QDs) show an excellent application perspective in semiconductor optoelectronic devices. However, problems of ligand loss during the growth, purification, film formation, and storage process ???



However, the photonic quantum storage lifetime in integrated devices has so far been limited to tens of microseconds, falling short of the requirements for practical applications. Here, we demonstrate quantum storage of photonic qubits for ???